





8 7 6 5 4 3 2 1

For reference only, subject to change without notice



- ① Mounting Hole: Use M4 or 6-32 or 8-32 screws
- ② M8 4-Pin Female A Coded Ethernet Connector
- ③ Link/Activity LED
- ④ Network Status LED
- ⑤ M8 4-Pin Male A Coded Power Connector



PROPRIETARY AND CONFIDENTIAL NOTICE
 ALL INFORMATION ON THIS SHEET IS THE SOLE PROPERTY OF
 Roll-2-Roll Technologies LLC.
 All Rights Reserved. © Copyright 2025.



UNLESS OTHERWISE SPECIFIED:
 ALL DIMENSIONS ARE IN MM
 TOLERANCES UNLESS NOTED:
 INCH MILLIMETER
 X.X ±0.040 X.X ±1
 X.XX ±0.02 X.XX ±0.5
 X.XXX ±0.0075 X.XXX ±0.25
 THIRD ANGLE PROJECTION
 DO NOT SCALE DRAWING

| | NAME | DATE |
|-----------|------|-----------|
| DRAWN | AS | 01-APR-25 |
| CHECKED | | |
| ENG APPR. | | |
| MFG APPR. | | |
| Q.A. | | |
| COMMENTS: | | |

| | | |
|---|------------|--------------|
| Roll-2-Roll Technologies | | |
| Website: https://r2r.tech | | |
| Phone: +1-888-290-3215 | | |
| Email: engineering@r2r.tech | | |
| TITLE: 1DC 384-xx No Mounting Bracket | | |
| SIZE | DWG. NO. | REV |
| B | 1DC 384-xx | |
| SCALE: 1:3 | WEIGHT: | SHEET 1 OF 1 |

8 7 6 5 4 3 2 1

D

D

C

C

B

B

A

A